

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	387	print\$5 with remot\$5 with prevent\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:10
S2	387	print\$5 with remot\$5 with (prevent\$5 with (output\$5 or print\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:11
S3	1679215	sensitiv\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:12
S4	5556437	sensitiv\$5 or confident\$5 or secur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:13
S5	56	S2 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:13
S6	5633	local\$5 near print\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:29
S7	9670	remot\$5 near print\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:30
S8	386351	(prevent\$5 with (output\$5 or print\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:30

S9	21	S6 and S7 and (S8 with S4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:32
S10	438953	((sensitiv\$5 or confident\$5 or secur\$5) with (prevent\$5 or alert\$5 or diabl\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:39
S11	94534	((sensitiv\$5 or confident\$5 or secur\$5) with (prevent\$5 or alert\$5 or diabl\$5)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:40
S12	14817	(358/1.15,1.14,1.13).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 16:40
S13	35	S11 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 16:40
S14	37	((print\$5) same (sensitiv\$5 or confident\$5 or secur\$5) same (prevent\$5 or alert\$5 or diabl\$5) same (remot\$5)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:48
S15	61375	((sensitiv\$5 or confident\$5 or secur\$5) same (print\$5)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:56
S16	233	S15 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:57
S17	1509	(prevent\$5 with (output\$5 or print\$5) with remot\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:58

S18	2	S16 and S17	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 16:58
S19	11309	((sensitiv\$5 or confident\$5 or secur\$5) same (print\$5)).ab.	US-PGPUB; USPAT	OR	ON	2009/05/07 17:02
S20	12138	(358/1.15,1.14,1.13).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/07 17:02
S21	210	S19 and S20	US-PGPUB; USPAT	OR	OFF	2009/05/07 17:02
S22	88946	((sensitiv\$5 or confident\$5 or secur\$5) same (print\$5))	USPAT	OR	ON	2009/05/07 17:13
S23	51689	((sensitiv\$5 or confident\$5 or secur\$5) with (print\$5))	USPAT	OR	ON	2009/05/07 17:13
S24	1170	(358/1.14).OCLS.	USPAT	OR	OFF	2009/05/07 17:13
S25	242	S24 and S23	USPAT	OR	OFF	2009/05/07 17:14
S26	130204	(prevent\$5 with (output\$5 or print\$5))	USPAT	OR	ON	2009/05/07 17:14
S27	120	S25 and S26	USPAT	OR	ON	2009/05/07 17:14
S28	4531	determin\$5 with location\$3 with remot\$5	USPAT	OR	ON	2009/05/07 17:19
S29	130204	(prevent\$5 with (output\$5 or print\$5))	USPAT	OR	ON	2009/05/07 17:20
S30	4	S28 same S29	USPAT	OR	ON	2009/05/07 17:20
S31	9123	determin\$5 with location\$3 with remot\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 17:21
S32	196790	(prevent\$5 with (output\$5 or print\$5))	US-PGPUB; USPAT	OR	ON	2009/05/07 17:21
S33	7	S31 same S32	US-PGPUB; USPAT	OR	ON	2009/05/07 17:21
S34	862	determin\$5 with print\$3 with remot\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 17:26
S35	15	S32 same S34	US-PGPUB; USPAT	OR	ON	2009/05/07 17:26
S36	176442	(location\$3 or print\$5) with remot\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 17:31
S37	338860	(prevent\$5 or stop\$5 or disabl\$5 or validat\$5 or alert\$5) with (output\$5 or print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 17:32
S38	1390	S36 same S37	US-PGPUB; USPAT	OR	ON	2009/05/07 17:33
S39	142800	((sensitiv\$5 or confident\$5 or secur\$5) same (print\$5))	US-PGPUB; USPAT	OR	ON	2009/05/07 17:33

S40	520	(S36 same S37) and S39	US-PGPUB; USPAT	OR	ON	2009/05/07 17:33
S41	62	((S36 same S37) and S39) and S20	US-PGPUB; USPAT	OR	ON	2009/05/07 17:35
S42	12711	determin\$5 with (print\$5 or locat\$5) with remot\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 17:49
S43	92	(S36 same S37) and S39 and S42	US-PGPUB; USPAT	OR	ON	2009/05/07 17:49
S44	17	(S36 same S37) and S39 and S42 and S20	US-PGPUB; USPAT	OR	ON	2009/05/07 17:50
S45	7058	determin\$ with print\$5 with locat\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 18:17
S46	6613	print\$5 with locat\$5 with remot \$5	US-PGPUB; USPAT	OR	ON	2009/05/07 18:18
S47	576	S37 and S45 and S46	US-PGPUB; USPAT	OR	ON	2009/05/07 18:19
S48	14	S37 same S45 same S46	US-PGPUB; USPAT	OR	ON	2009/05/07 18:19
S49	12138	(358/1.15,1.14,1.13).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/07 19:58
S50	338860	(prevent\$5 or stop\$5 or disabl \$5 or validat\$5 or alert\$5) with (output\$5 or print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 19:58
S51	7058	determin\$ with print\$5 with locat\$5	US-PGPUB; USPAT	OR	ON	2009/05/07 19:58
S52	6613	print\$5 with locat\$5 with remot \$5	US-PGPUB; USPAT	OR	ON	2009/05/07 19:58
S53	83	(S50 and S51 and S52) and S49	US-PGPUB; USPAT	OR	ON	2009/05/07 19:58
S54	5	locat\$5 with print\$5 with icon \$3 with (active\$3 or enabl\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 20:12
S55	1	remot\$5 with print\$5 with icon \$3 with (disabl\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 20:12
S56	22	print\$5 with icon\$3 with (disabl \$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 20:14
S57	49350	(network\$5 or remot\$5) near5 (print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 22:27
S58	198265	(prevent\$5 or stop\$5 or disabl \$5 or validat\$5 or alert\$5) near5 (output\$5 or print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 22:27
S59	1207	S57 same S58	US-PGPUB; USPAT	OR	ON	2009/05/07 22:28
S60	2913	((find\$3 or determin\$5) near5 (locat\$5) near5 (print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 22:29
S61	5	S59 same S60	US-PGPUB; USPAT	OR	ON	2009/05/07 22:29
S62	160	popovici.xa.	US-PGPUB; USPAT	OR	ON	2009/05/07 22:38
S63	321	popovici.xp.	US-PGPUB; USPAT	OR	ON	2009/05/07 22:38

S64	0	S62 and S63	US-PGPUB; USPAT	OR	ON	2009/05/07 22:38
S65	481	S62 or S63	US-PGPUB; USPAT	OR	ON	2009/05/07 22:38
S66	0	("I49andI9").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:38
S67	0	"I49" and S65	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:39
S68	12138	(358/1.15,1.14,1.13).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:39
S69	315	S68 and S65	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:39
S70	12081	(determin\$5 with locat\$5 with remot\$5)	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:46
S71	198265	(prevent\$5 or stop\$5 or disabl\$5 or validat\$5 or alert\$5) near\$5 (output\$5 or print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 22:47
S72	20	S70 same S71	US-PGPUB; USPAT	OR	ON	2009/05/07 22:47
S73	868	(determin\$5 with print\$5 with remot\$5)	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:52
S74	31	S73 same S71	US-PGPUB; USPAT	OR	OFF	2009/05/07 22:52
S75	9	(determin\$5 with print\$5 with remot\$5) with (confirm\$5 or confirmation\$3)	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:06
S76	73	(determin\$5 with locat\$5 with remot\$5) with (confirm\$5 or confirmation\$3)	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:08
S77	12	(determin\$5 with locat\$5 with remot\$5) with (confirm\$5 or confirmation\$3) and S71	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:08
S78	15	(default near\$5 print\$5) near\$5 remot\$3	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:12
S79	1	("6307640").PN.	USPAT	OR	OFF	2009/05/07 23:16
S80	81482	(sensitiv\$5 or confident\$5 or secur\$5) with (print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 23:19
S81	24164	(determin\$5 or find\$3) near\$9 (locat\$5 or print\$5) near\$9 (remot\$5 or network\$5)	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:21
S82	96	S80 same S81	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:21
S83	211707	(prevent\$5 or stop\$5 or disabl\$5 or validat\$5 or alert\$5 or confirm\$5 or confirmation\$3) near\$5 (output\$5 or print\$5)	US-PGPUB; USPAT	OR	ON	2009/05/07 23:22
S84	46	S82 and S83	US-PGPUB; USPAT	OR	ON	2009/05/07 23:23

S85	2789	(determin\$5 or find\$3) with (locat\$5 or print\$5) with (remot\$5 or network\$5) with ((GPS) or (global adj position \$5 adj satellite\$2))	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:40
S86	2796	(determin\$5 or find\$3) with (locat\$5 or print\$5) with (remot\$5 or network\$5) with ((GPS) or (global adj position \$5 adj satellite\$2) or (network \$3 near3 topograph\$3))	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:41
S87	6	(determin\$5 or find\$3) with (locat\$5 or print\$5) with (remot\$5 or network\$5) with ((GPS) or (global adj position \$5 adj satellite\$2) or (network \$3 near3 topograph\$3)) same S80	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:41
S88	1	(determin\$5 or find\$3) with (locat\$5 or print\$5) with (remot\$5 or network\$5) with ((GPS) or (global adj position \$5 adj satellite\$2) or (network \$3 near3 topograph\$3)) same S83	US-PGPUB; USPAT	OR	OFF	2009/05/07 23:43
S89	1	("20030206312").PN.	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:33
S90	0	topograph\$5 and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:34
S91	0	(sensitiv\$5 or confident\$5 or secur\$5) and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:34
S92	0	(gps) and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:35
S93	0	(global\$5) and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:35
S94	0	(icon\$5) and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:35
S95	1	(menu\$5) and S89	US-PGPUB; USPAT	OR	OFF	2009/05/08 17:35

5/ 11/ 2009 3:29:21 PM

H:\Workspaces\10780367.05072009.1.wsp